

According to Regulation (EC) No 1907/2006 (REACH)

1. Product and company identification		
Registered Trade Name:	RENOVATION MORTAR RM50	
Grain sizes in mm:	0 – 2.4 mm	
Usage or Preparation:	Factory-blended universal mortar for masonry and plastering works.	
Information on the manufacturer/supplier:	DMC – Dry Mortar Company P.O. Box 355798 Riyadh 11383, Saudi Arabia Tel: +966 11 499 2374 Fax: +966 11 499 2367 Email: sales@dmc-mix.com www.dmc-mix.com	
2. Possible dangers		
Classification:	This product is excluded from the specific labeling requirements of 1999/45/EG and guideline 67/548/EWG.	
Description of dangers: Special danger designations for man and environment: Note for medical doctors:	Spilling of liquids may make surfaces slippery. Show this data sheet to attending doctor.	
3. Composition/information on ingredients		
	CAS No:	Dorcont (hywaight)
Component		Percent (by weight) > 20%
Binder	471-34-1/1305-62-0	
Aggregate	471-34-1 / 93763-70-3	50 - 80%
Filler	471-34-1	> 25%
Additive	65996-63-6 / 9004-67-5	> 10%
Index no:	Not controlled / Not regulated	
Additional details:	Not applicable	
4. First aid measures		
After inhalation:	Move affected person to fresh air. In case of i	nflammation seek medical attention
After skin contact:	Wash the affected area thoroughly with soap and water. If irritation continues seek medical advice.	
After eye contact:	Wash eyes immediately with plenty of clean water for at least 15 minutes and seek medical advice without delay.	
After ingestion:	If swallowing has occurred do not induce vomiting. Give person plenty of water to drink. Seek medical attention.	



According to Regulation (EC) No 1907/2006 (REACH)

#### 5. Fire-fighting measures

General information:

Firefighting protective equipment: Exposure hazards:

#### 6. Accidental release measures

Personal precautions: Environmental precautions: Methods of cleaning:

## 7. Handling and storage

Notes for safe handling:

Risks at preparation: Notes for fire and explosion protection: Storage space and vessel requirements: Information for combined storage:

Additional designation of the storage requirements: Storage classifications:

#### 8. Exposure controls/personal protection

Technical protective measures: Limits of exposure: Components which have to be monitored according to limits based on the workplace: Additional notes according to limits:

Personal protection Measures of safety and hygiene: Respiratory protection: Eye protection: Hand protection: Body protection: 9. Physical and chemical properties

Physical state: Appearance: Odour: Change in state: Boiling point: Not applicable. This product is non-combustible. Also there is no special risk by its preparation or the comprised elements. Not applicable Do not release material into water drains.

Avoid contact with skin, eyes and clothing Prevent contamination of surface water. Add absorbent sand to recover liquified material. Keep children away from clean up operations. Dispose to a place authorized to accept builder's waste.

When handling containers due regard should be paid to Manual Handling Operations Regulations. Use only safety approved handling equipment. None if handles according to instructions. Non-combustible Store in a cool, dry place away from direct sunlight. All DMC products may be stored together, or in a combined warehouse for dry mortar products. Do not place liquid components on top of dry mortar products.

Do not store below 5 degree Centigrade TRGS510 Class 12, non combustible liquid material

No special measures required not applicable

Not applicable Not applicable

Observe all standard industrial hygiene measures apply in a well ventilated space Wear safety glasses with side shields to protect against eye contact. Wear suitable protective gloves in order to minimize skin contact. Wear general purpose work overall to protect skin from irritation.

liquid Light grey powder Odourless

Not expedient; It's a mineral product

DMC Saudi Arabia - Revised 06/08/2019

Dry Mortar Company – P.O. Box 355798 – Riyadh 11383 – Kingdom of Saudi Arabia Tel: +966 11 499 2374 – Fax: +966 11 499 2367 – info@dmc-mix.com – www.dmc-mix.com



According to Regulation (EC) No 1907/2006 (REACH)

Approx. 1200°C (1650°F), published values of container glass Not applicable Non-combustible Not applicable **1050KG**/m<sup>3</sup> (±100KG) can be diluted with water 8-11 (20°C / 100g/L in 1L of water), pH-meter no hazard when normal handling procedures are observed

Not applicable Not applicable Not definable; adipic insolvable solid

Chemically stable no known adverse conditions None known None

RTECS unavailable None known Not applicable None known Irritations may appear Irritations of the mouth, trachea, stomach and intestines may appear.

None known None known None known

Biological non-degradable as of mineral origin Not applicable Not applicable

Melting point: Softening point: Flashpoint: Explosion limit: Vapour pressure: Specific gravity: Solubility in water: ph-value: Danger of dust explosion: Additional information Viscosity: Vapour density: N-octanol-water partition coefficent:

## 10. Stability and reactivity

Stability: Conditions to avoid (stability): Incompatibility (material to avoid): Hazardous decomposition or by-products:

## 11. Toxicological information

Acute toxidity (LD50/LC50): Inhale: Skin contact: Sensitisation: Eye contact: Ingestion: CMR effects (carcinogenity, mutagenity and toxidity for reproduction): Subacute or chronic toxidity: Repeated dose toxidity:

## 12. Ecological information

Information for degradation: Mobility in the soil: Exotoxic effects:



According to Regulation (EC) No 1907/2006 (REACH)

#### 13. Disposal considerations

AVV Refuse code: Refuse description: AVV packing:

#### 14. Transport information

Road transportation ADR/RID and GGVSE GGVSE: **RID/ADR:** Warning sign No.: Inland waterway transportation AND/ADNR: Sea transport IMDG/GGVSea: IMO: UN-No.: GGVSea-packing group: EMS: MFAG: Air transportation ICAO/IATA: ICAO packing group: Transport/additional information:

16 10 02 Aqueous liquid waste without dangerous substances Not applicable

Not a hazardous material Not applicable Not applicable

Not a hazardous material

Not a hazardous material Not a hazardous material Not applicable Not applicable Not applicable Not applicable

Not a dangerous good Not applicable Protect from excessive heat and from cold below 5 degree Centigrade

15. Regulation on assessment of material safety

## **Guidelines by EC**

Danger symbol: Danger defining components: R-phrases: S-phrases: Special identification of certain preparations:

16. Other information:

Not applicable Not applicable Not applicable S 24/25 Avoid contact with skin and eyes Not applicable

The details are based on today's state of our knowledge and serve to describe the product with regard to the correct safety regulations. It does not represent any assurance of product properties and does not give reasons for any contractual facts of the case. Users must decide even on the suitability of this information for her certain purpose.