

# Material Safety Data Sheet MASONRY MORTAR MM200

According to Regulation (EC) No 1907/2006 (REACH)

1	Product	and	company	iden	tification
и.	FIUUULL	allu	CUIIIDAIIV	iuei	ıtırıtatıvı

Registered Trade Name: MASONRY MORTAR MM200

Grain sizes in mm: 0 – 4.0 mm

Usage or Preparation: Factory-blended masonry mortar for heavy load-bearing walls.

Information on the manufacturer/supplier: DMC - Dry Mortar Company

P.O. Box 355798

Riyadh 11383, Saudi Arabia Tel: +966 11 499 2374 Fax: +966 11 499 2367 Email: sales@dmc-mix.com www.dmc-mix.com

2. Possible dangers

Classification: This product is excluded from the specific labeling requirements of 1999/45/EG and

Dust may cause irritations at eyes and respiratory tract.

guideline 67/548/EWG.

Not applicable

Description of dangers:

Special danger designations for man and

environment:

Note for medical doctors: Show this data sheet to attending doctor.

3. Composition/information on ingredients

Component CAS No: Percent (by weight)

 Binder
 471-34-1 / 1305-62-0
 > 20%

 Aggregate
 471-34-1
 50 - 80%

 Filler
 471-34-1
 > 25%

 Additive
 65996-63-6 / 9004-67-5
 > 10%

Index no: Not controlled / Not regulated

Additional details: Not applicable

4. First aid measures

After inhalation: Move affected person to fresh air. If nose or airways become inflamed seek medical

attention.

After skin contact: Wash the affected area thoroughly with soap and water. If irritation continues seek

medical advice. Clothing contaminated with wet product should be removed and washed

thoroughly before reuse.

After eye contact: Wash eyes immediately with plenty of clean water for at least 15 minutes and seek

medical advice without delay.

After ingestion: If swallowing has occurred do not induce vomiting. Give person plenty of water to drink.

Seek medical attention.



### Material Safety Data Sheet MASONRY MORTAR MM200

According to Regulation (EC) No 1907/2006 (REACH)

5. Fire-fighting measures

General information: Not applicable. This product is non-combustible. Also there is no special risk by its

preparation or the comprised elements.

Firefighting protective equipment: Not applicable

Exposure hazards: Do not release water contaminated with Portland cement into surface water drains.

6. Accidental release measures

Environmental precautions:

Personal precautions: Avoid contact with skin, eyes and clothing. Avoid breathing dust.

Prevent contamination of surface water.

Methods of cleaning: Recover spillage in dry state if possible. Minimize generation of airborne dust. The product can be slurried with water. Keep children away from clean up operations. Dispose to a place authorized to accept builder's waste. Small quantities can be disposed

of as normal household waste.

7. Handling and storage

Notes for safe handling: When handling bags of Portland cement-based products, due regard should be paid to

> Manual Handling Operations Regulations. Some bags may have a small amount of cement dust on their outer surface. Appropriate personal protection should be used

whilst handling.

Risks at preparation: Avoid formation of dust. The usage of particle filtered protective mask P2 is required if

the dust concentration rises above the reference value.

Notes for fire and explosion protection: Non-combustible Storage space and vessel requirements: Not applicable Not applicable

Information for combined storage: Additional designation of the storage

requirements: Protect against humidity Not applicable

Storage classifications:

Personal protection

8. Exposure controls/personal protection

Technical protective measures: No special measures required

Limits of exposure: Workplace Exposure Limits (OES) Limits 8 hour TWA (According to EH40/05) Total

inhalable dust:10mg/m3 Respirable dust:4mg/m3

Components which have to be monitored according to limits based on the workplace:

Additional notes according to limits:

Not applicable

Measures of safety and hygiene:

Respiratory protection: Suitable respiratory protection should be worn to ensure that personal WEL is not

exceeded. If care is taken not to raise dust during handling the use of respirators is not

normally necessary.

Eye protection: Wear safety glasses with side shields to protect against eye contact. Hand protection: Wear suitable protective gloves in order to minimize skin contact. Body protection: Wear general purpose work overall to protect skin from irritation.

Not applicable



## Material Safety Data Sheet MASONRY MORTAR MM200

According to Regulation (EC) No 1907/2006 (REACH)

### 9. Physical and chemical properties

Physical state: Solid / powder
Appearance: Light grey powder
Odour: Odourless

Change in state:

Boiling point: Not expedient; It's a mineral product

Melting point: Approx. 1200°C (1650°F), published values of container glass

Softening point:

Flashpoint:

Explosion limit:

Vapour pressure:

Specific gravity:

Not applicable

Not applicable

Not applicable

1440KG/m³ (±50KG)

Solubility in water: Slight, reacts on mixing with water forming an alkaline (caustic) solution (pH > 11)

ph-value: 8-11 (20°C / 100g/L in 1L of water), pH-meter

Danger of dust explosion: Not applicable

Additional information

Viscosity: Not applicable Vapour density: Not applicable

N-octanol-water partition coefficent: Not definable; adipic insolvable solid

### 10. Stability and reactivity

Stability: Chemically stable Conditions to avoid (stability): Not applicable

Incompatibility (material to avoid): None Hazardous decomposition or by-products: None

#### 11. Toxicological information

Acute toxidity (LD50/LC50):

Inhale:

None known
Skin contact:

Sensitisation:

Not applicable
None known

Eye contact: Irritations may appear

Ingestion: Irritations of the mouth, trachea, stomach and intestines may appear.

CMR effects (carcinogenity, mutagenity and

toxidity for reproduction):

Subacute or chronic toxidity:

Repeated dose toxidity:

None known

None known

### 12. Ecological information

Information for degradation: Biological non-degradable as of mineral origin

Mobility in the soil:

Exotoxic effects:

Not applicable

Not applicable



### Material Safety Data Sheet MASONRY MORTAR MM200

According to Regulation (EC) No 1907/2006 (REACH)

### 13. Disposal considerations

170202 AVV Refuse code:

Refuse description: **Portland Cement** AVV packing: Not applicable

### 14. Transport information

Road transportation ADR/RID and GGVSE

GGVSE: Not a hazardous material

RID/ADR: Not applicable Warning sign No.: Not applicable

Inland waterway transportation

AND/ADNR: Not a hazardous material

Sea transport

IMDG/GGVSea: Not a hazardous material IMO: Not a hazardous material UN-No.:

Not applicable GGVSea-packing group: Not applicable EMS: Not applicable MFAG: Not applicable

Air transportation

ICAO/IATA: Not a dangerous good ICAO packing group:

Not applicable

Transport/additional information: Protect from humidity max. blowing pressure: 0.8 bar

### 15. Regulation on assessment of material safety

### **Guidelines by EC**

Danger symbol: Not applicable Danger defining components: Not applicable R-phrases: Not applicable

S-phrases: S 24/25 Avoid contact with skin and eyes

Special identification of certain preparations: Not applicable

#### 16. Other information:

The details are based on today's state of our knowledge and serve to describe the product with regard to the correct safety regulations. It does not represent any assurance of product properties and does not give reasons for any contractual facts of the case. Users must decide even on the suitability of this information for her certain purpose.